



Alien alert!

***Anoplophora chinensis* (Forster, 1771)**

Citrus Longhorned Beetle

What does *A. chinensis* look like?

- 1) Body glossy black to blue-black.
- 2) Antennae 11-segmented with black joints and a blue-grey base.
- 3) Elytra (1st pair of wings) finely punctuated (with tiny dots or points) with a series of irregular white hair spots.
- 4) Thorax (pronotum) with a pointed process on both sides.
- 5) Length 25–35 mm, width 7–12 mm.

Where it can be found:

Forest, urban and fruit producing areas.




Photo by: Iwatebud. Wikipedia Commons


Impacts:

Infests a variety of fruit, nut, ornamental, crop and forest trees. Larvae bore through and damage the wood, attacking not only weakened, dying or dead trees but also healthy trees. A high density can cause secondary infestations leading to the death or fall of the tree. Adults feed on small twigs, branches and leaf petioles causing them to die. It can cause severe economic and ecological impacts to horticulture, agriculture, forestry and woodland trees.



Photo by: Washington State Department of Agriculture Archives; www.forestryimages.org

Need more info?



Have you seen it?



UK CEH



Συναγερμός! ΞΕΝΙΚΟ!

Anoplophora chinensis (Forster, 1771)

Μακρύκερο σκαθάρι των εσπεριδοειδών

Πως μοιάζει το *A. chinensis*:

- 1) Σώμα γυαλιστερό μπλε-μαύρο.
- 2) Κεραίες με 11 τμήματα με μαύρες αρθρώσεις και μπλε-γκρι βάση.
- 3) Έλυτρα (1ο ζεύγος φτερών) διάστικτα και με μια σειρά ακανόνιστων λευκών τριχοειδών κηλίδων.
- 4) Θώρακας (προνώτο) με μυτερά αγκάθια και στις δύο πλευρές.
- 5) Μήκος 25–35 mm, πλάτος 7–12 mm.

Που μπορεί να βρεθεί:

Δασικές, αστικές και οπωροπαραγωγικές περιοχές.

Επιπτώσεις:

Προσβάλλει ποικιλία οπωροφόρων, καλλωπιστικών, καλλιεργούμενων και δασικών δέντρων. Οι προνύμφες διαπερνούν και καταστρέφουν το ξύλο, προσβάλλοντας όχι μόνο τα εξασθενημένα, ετοιμοθάνατα ή νεκρά αλλά και τα υγιή δέντρα. Υψηλή πυκνότητα διευκολύνει δευτερογενείς προσβολές που μπορεί να οδηγήσουν ακόμη και στο θάνατο ή την πτώση του δέντρου. Τα ενήλικα άτομα τρέφονται με μικρά κλαδιά και μίσχους φύλλων προκαλώντας τους νέκρωση. Αποτελεί σοβαρή οικονομική και οικολογική απειλή για τη γεωργία και τη δασοκομία.




Photo by: Iwatebud. Wikipedia Commons



Photo by: Washington State Department of Agriculture Archives; www.forestryimages.org



Για πληροφορίες:



Το έχετε δει;

